

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/767,346	01/30/2004	Paula Calabrese	245046US6 YA	5236
22850	7590 01/23/2006		EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.			KIM, PAUL L	
	OUKE STREET ANDRIA, VA 22314		ART UNIT	PAPER NUMBER
, , , , , , , , , , , , , , , , , , , ,			2857	
•			DATE MAILED: 01/23/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Supplemental	10/767,346	CALABRESE ET AL.				
Notice of Allowability	Examiner	Art Unit				
	Paul Kim	2857				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.						
1. This communication is responsive to <u>examiner's amendment completed on January 18, 2006</u> .						
2. The allowed claim(s) is/are <u>1-34</u> .						
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> <li>5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> </ul>						
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached						
1) Thereto or 2) to Paper No./Mail Date						
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of						
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).						
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT						
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☑ Examiner's Amendr	te				

Application/Control Number: 10/767,346 Page 2

Art Unit: 2857

## Examiner's Amendment

1. Authorization for this examiner's amendment was given in a telephone interview with Ed Garlepp on January 18, 2006.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

With regard to claim 16, "plasma processing tool;" in line 3 has been changed to – plasma processing tool and; –. Also, a period has been added to the last sentence – said memory and said processor. – in lines 6 and 7.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Kim whose telephone number is 571-272-2217. The examiner can normally be reached on Monday-Thursday 10:00-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Hoff can be reached on 571-272-2216. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Application/Control Number: 10/767,346

Art Unit: 2857

PΚ

January 18, 2006

MARC S: HOFF SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800

Page 3